CONTENTS

List of committees ix

Photograph of participants x

Preface xi

In memoriam xv

1. INVITED/ORAL TALKS

1.1. Introductory talk

Nuclear data needs for the study of nucleosynthesis in massive stars
S.E. Woosley, A. Heger, T. Rauscher and R.D. Hoffman 3c

1.2. Big Bang nucleosynthesis and light elements

New paradigms in primordial nucleosynthesis
G.J. Mathews, K. Ichiki, T. Kajino, M. Orito and M. Yahiro 15c

Photodisintegration cross sections of ^{3}He and ^{4}He at low energies
T. Shima, S. Naito, Y. Nagai, T. Baba, K. Tamura, H. Ohgaki, T. Kii and H. Toyokawa 23c

1.3. X-rays, gamma-rays, cosmic rays, meteorites and stellar abundances

Observations of neutron-capture elements in the early Galaxy
C. Sneden, J.J. Cowan and J.E. Lawler 29c

Subaru/HDS studies on elemental abundances of very metal-poor stars
W. Aoki 37c

Recent developments in the study of presolar grains
S. Amari 45c

Gamma-ray line observations from cosmic nuclei
R. Diehl 52c

Metal distribution in clusters of galaxies and the prospect of Astro-E2
T. Ohashi 61c

Cosmic ray production of ^{6}Li by structure formation shocks in the early Galaxy
S. Inoue and T.K. Suzuki 69c

1.4. Weak interaction and neutrinos

Solar neutrino flux measurement from the pure D_2O-phase of the Sudbury Neutrino Observatory
Y. Chan for the SNO Collaboration 75c

Neutrinos in Super-Kamiokande
Y. Suzuki for the Super-Kamiokande Collaboration 83c

Weak-interaction processes in stars
K. Langanke 92c

Nuclear astrophysics experiments with high energy RI beams
T. Motobayashi 101c

Coulomb dissociation of ^{8}B: determination of the E2 component
F. Hammache, F. Schümann, S. Typel, K. Sümmerer and the S223 Collaboration 109c

A new measurement of $^{7}Be(p,\gamma)^{8}B$ cross section and its astrophysical meaning
S.H. Park, A.R. Junghans, E.C. Mohrmann, K.A. Snover, T.D. Steiger, E.G. Adelberger, J.M. Cajandian, H.E. Swanson, L. Buchmann, A. Zyuzin and A. Laird 113c

1.5. Nucleosynthesis in stars and nuclear cross sections

Results of $^{21}Na + p$ experiments at ISAC
R.E. Azuma, S. Bishop, L. Buchmann, M.L. Chatterjee, A.A. Chen, J.M. D'Auria, T. Davinson, S. Engel, B.R. Fulton, D. Gigliotti, U. Greife, D. Groombridge, D. Hunter, A. Hussein, D. Hutcheon, C. Jewett, J.D. King, N. Khan, S. Kubono, A.M. Laird, M. Lamey, R. Lewis, L. Ling, W. Liu, S. Michimasa, A.S. Murphy, A. Olin, D. Ottewell, P. Parker, J. Pearson, I. Roberts, A. Robinson, J.G. Rogers, G. Roy, C. Ruiz, F. Sarazin, A.C. Shotter, H. Sprenger, F. Strieder, P. Walden, P.J. Woods and C. Wrede 119c

The $^{14}O(\alpha,p)^{17}F$ reaction rate
J.C. Blackmon, D.W. Bardayan, W. Bradfield-Smith, R. Brummitt, A.E. Champagne, A.A. Chen, T. Davinson, L. Dessieux, M.W. Guidry, K.I. Hahn, G.M. Hale, W.R. Hix, R.L. Kozub, Z. Ma, P.D. Parker, G. Rajbaidya,

R.C. Runkle, C.M. Rowland, A.C. Shotter, M.S. Smith, L.A. Van Wormer, D.W. Visser and P.J. Woods 127c

The key reactions in stellar helium burning: $^{12}C(\alpha,\gamma)^{16}O$ and $^{22}Ne(\alpha,n)^{25}Mg$
M. Fey, R. Kunz, J.W. Hammer, M. Jaeger, A. Mayer, E. Krmpotic, C. Bauer, C. Meyer, S. Harissopulos, T. Paradellis, G. Staudt, F. Haas, P. Papka, K.-L. Kratz and B. Pfeiffer 131c

Target stability and beam-induced background studies at the LUNA underground facility
F. Strieder, Zs. Fülöp, Gy. Gyürky, E. Somorjai and the LUNA Collaboration 135c

Nuclear cross sections, nuclear structure and stellar nucleosynthesis
F.-K. Thielemann, D. Argast, F. Brachwitz, W.R. Hix, P. Höflich, M. Liebendörfer, G. Martínez-Pinedo, A. Mezzacappa, I. Panov and T. Rauscher 139c

New results for $^{8}B(p,\gamma)^{9}C$, $^{11}C(p,\gamma)^{12}N$, $^{13}C(p,\gamma)^{14}N$ and $^{14}N(p,\gamma)^{15}O$ at stellar energies
R.E. Tribble, A. Azhari, P. Bem, V. Burjan, F. Cârstoiu, C.A. Gagliardi, V. Kroha, A.M. Mukhamedzhanov, J. Novák, F. Pirlepesov, Š. Piskoř, A. Sttarov, E. Šimečková, X. Tang, L. Trache and J. Vincour 147c

The branching ratio $\Gamma_\alpha/\Gamma_\gamma$ of the 4.033 MeV state in ^{19}Ne
K.E. Rehm, A.H. Wuosmaa, C.L. Jiang, J. Greene, A. Heinz, D. Henderson, R.V.F. Janssens, L. Jisonna, E.F. Moore, G. Mukherjee, R.C. Pardo, M. Paul, T. Pennington, J.P. Shiffer, R.E. Segel and R.H. Siemssen 151c

Nucleosynthesis in TP-AGB stars and the production of ^{19}F
J. Görres, S. Dababneh, A. Couture, M. Heil, F. Käppeler, H. Leiste, M. Lugaro, C. Ugalde and M. Wiescher 155c

Nucleosynthesis of heavy elements in massive stars
A. Heger, S.E. Woosley, K. Langanke, E. Kolbe, T. Rauscher and R.D. Hoffman 159c

Bipolar explosion models for hypernovae
K. Maeda and K. Nomoto 167c

1.6. AGB stars, s-process and n-capture reactions

Neutron capture studies on difficult isotopes: experiments, theory and astrophysics
F. Käppeler, A. Mengoni and R. Gallino 173c

Minute steps on the quest of the s-process
R. Gallino, E. Arnone, S. Cristallo, S. Masera, C. Travaglio, D.L. Lambert, M. Lugaro, F. Käppeler, H. Van Winckel, M. Reyniers, O. Straniero and A.M. Davis 181c

Determination of the sub-threshold contribution in the $^{13}C(\alpha, n)^{16}O$ reaction for the neutrons of s-process
S. Kato, K. Abe, S. Kubono, T. Teranishi, M. Kurokawa, X. Liu, P. Strasser, N. Imai, K. Kumagai, C.S. Lee, Y.K. Kwon, C. Lee, J.H. Ha, Y.K. Kim, M.H. Tanaka and Y. Fuchi 189c

A new model for s-process nucleosynthesis in low-mass, low-metallicity AGB stars
N. Iwamoto, G.J. Mathews, M.Y. Fujimoto, T. Kajino and W. Aoki 193c

1.7. New scope in observations and experiments

A new astrophysical γ probe and its applications
H. Utsunomiya, H. Akimune, S. Goko, T. Hayakawa, Y.-W. Lui, H. Ohgaki, M. Ohta, T. Shizuma, H. Toyokawa and T. Yamagata 199c

Experimental studies using a low-energy RI beam separator at CNS
T. Teranishi, S. Kubono, S. Shimoura, M. Notani, Y. Yanagisawa, S. Michimasa, K. Ue, H. Iwasaki, M. Kurokawa, Y. Satou, T. Morikawa, A. Saito, H. Baba, J.H. Lee, C.S. Lee, Zs. Fülöp and S. Kato 207c

Half-life measurement of neutron-rich nuclei relevant to astrophysical r-process at RIKEN
S. Nishimura, R.N. Boyd, A.L. Cole, M.A. Famiano, M.E. Howard, M. Kurata-Nishimura, Y. Nishi and I. Tanihata 214c

OMNIS, The Observatory for Multiflavor NeutrInos from Supernovae
R.N. Boyd, A.St.J. Murphy and R.L. Talaga 222c

1.8. Explosive nucleosynthesis and neutron-deficient nuclei

Multidimensional simulations of type Ia supernova explosions and nucleosynthesis
W. Hillebrandt, J.C. Niemeyer, M. Reinecke, F. Röpke and C. Travaglio 229c

Counting ^{44}Ti nuclei from the $^{40}Ca(\alpha, \gamma)^{44}Ti$ reaction
M. Paul, C. Feldstein, I. Ahmad, D. Berkovits, C. Bordeanu, J. Caggiano, S. Ghelberg, J. Görres, J. Greene, M. Hass, A. Heinz, D. Henderson, S.K. Hui, R.V.F. Janssens, C.L. Jiang, S. Jiang, Y. Nirel, R.C. Pardo, T. Pennington, K.E. Rehm, G. Savard, G. Verri, R. Vondrasek, I. Wiedenhover and M. Wiescher 239c

Photoreactions in nuclear astrophysics
P. Mohr, T. Rauscher, K. Sonnabend, K. Vogt and A. Zilges 243c

Nuclear physics in normal X-ray bursts and superbursts
H. Schatz, L. Bildsten, A. Cumming and M. Ouellette 247c

The impact of the chemical stratification of white dwarfs on the nucleosynthesis from classical novae
J. José, M. Hernanz and E. García-Berro 255c

Study of the $^{18}F(p,\alpha)^{15}O$ reaction for application to nova γ-ray emission
N. de Séréville, A. Coc, C. Angulo, M. Assunção, D. Beaumel, B. Bouzid, S. Cherubini, M. Couder, P. Demaret, F. de Oliveira Santos, P. Figuera, S. Fortier, M. Gaelens, F. Hammache, J. Kiener, D. Labar, A. Lefebvre, P. Leleux, M. Loiselet, A. Ninane, S. Ouichaoui, G. Ryckewaert, N. Smirnova, V. Tatischeff and J.-P. Thibaud 259c

Nuclear astrophysics studies at DRAGON: the $^{21}Na(p,\gamma)^{22}Mg$ reaction and oxygen–neon novae
S. Bishop, R. Azuma, L. Buchmann, A.A. Chen, M.L. Chatterjee, J.M. D'Auria, S. Engel, D. Gigliotti, U. Greife, D. Hunter, A. Hussein, D. Hutcheon, C. Jewett, J. King, S. Kubono, M. Lamey, R. Lewis, W. Liu, S. Michimasa, A. Olin, D. Ottewell, P.D. Parker, J. Rogers and C. Wrede 263c

1.9. Explosive nucleosynthesis and neutron-rich nuclei

The mechanism of core-collapse supernovae and the ejection of heavy elements
H.-Th. Janka, R. Buras and M. Rampp 269c

Nucleosynthesis in hypernovae and extremely-metal poor stars
K. Nomoto, H. Umeda, K. Maeda, T. Ohkubo, J. Deng and P. Mazzali 277c

The r-process nucleosynthesis: a continued challenge for nuclear physics
S. Goriely 287c

Quest for supernova r-process: new data in astronomy and nuclear physics, and theoretical modeling
T. Kajino 295c

Patterns of r-process in collapse-driven supernovae: delayed or prompt mechanism?
K. Sumiyoshi 303c

1.10. Galactic chemical evolution and cosmo-chronology

Perspectives in galactic chemical evolution studies
N. Prantzos 309c

Observation of r- and s-process elements in Population II stars
S.G. Ryan 317c

Nucleo-cosmochronology and chemical evolution modellings
K. Takahashi 325c

The r-process in the neutron wind and U–Th cosmochronology
S. Wanajo, N. Itoh, Y. Ishimaru, S. Nozawa and T.C. Beers 333c

1.11. High-density matter, nuclear equation of state and nuclear data for nuclear astrophysics

Nuclear data for astrophysics
M.S. Smith 339c

Prediction of astrophysical reaction rates as a challenge to nuclear physics
T. Rauscher and K.H. Guber 347c

Is RXJ1856.5-3754 a strange quark star?
J.J. Drake and H.L. Marshall 351c

Hadron–quark mixed phase in neutron stars
T. Tatsumi, M. Yasuhira and D.N. Voskresensky 359c

Empirical properties of asymmetric nuclear matter to be obtained from unstable nuclei
K. Oyamatsu and K. Iida 363c

Search for new states of matter with the STAR experiment at RHIC
J.S. Lange, on behalf of the STAR Collaboration 367c

2. POSTERS

2.1. Big Bang nucleosynthesis and light elements

Primordial nucleosynthesis and hadronic decay of supersymmetric particles in the early universe
K. Kohri 377c

Primordial nucleosynthesis in the new cosmology
R.H. Cyburt 380c

Constraints on the nature of cosmological constant: from Big Bang nucleosynthesis and CMB anisotropies
K. Ichiki, M. Yahiro, T. Kajino, M. Orito and G.J. Mathews 383c

Observational constraints on dark radiation in brane cosmology
K. Ichiki, M. Yahiro, T. Kajino, M. Orito and G.J. Mathews 386c

Baryonic density of the universe: Big Bang nucleosynthesis versus CMB observations
E. Vangioni-Flam, A. Coc and M. Cassé 389c

Light element nucleosynthesis from jet–cloud interactions in active galactic nuclei
M.A. Famiano, R.N. Boyd and T. Kajino 392c

The solar boron, stellar lithium and deuterium, interstellar deuterium, and extragalactic deuterium abundances
D.A. Lubowich 395c

Destruction of ^{7}Li and ^{7}Be in astrophysical environments
R.H. France III, L.T. Baby, C. Bordeanu, Th. Delbar, J.A. Dooley, M. Gai, M. Hass, J.E. McDonald, A. Ninane and C.M. Przybycien 398c

Measurement of the $p(n,\gamma)d$ reaction cross section between $E_n = 100$ and 350 keV
A. Tomyo, Y. Nagai, T.S. Suzuki, T. Kikuchi, T. Shima, T. Kii and M. Igashira 401c

2.2. X-rays, gamma-rays, cosmic rays, meteorites and stellar abundances

A possible causal relation of the source composition of cosmic rays with the elemental depletion in the interstellar space
K. Sakurai 407c

On search and identification of short-lived super heavy cosmic-ray nuclei ($Z \geqslant 110$) by fossil track study of the extraterrestrial crystals: results and perspectives [I]
V.P. Perelygin, Yu.V. Bondar, W. Ensinger, R.L. Fleischer, P. Vater and S.G. Stetsenko 410c

Study of global galactic distribution of classical novae by their gamma-ray line emission at 1.275 MeV
A. Iyudin 413c

Results of the joint X-ray and γ-ray analysis of the SNR RXJ0852-4622/GROJ0852-4642
A. Iyudin, B. Aschenbach, F. Haberl and M. Freyberg 416c

The effect of heterogeneities in the interstellar medium on the CNO isotopic ratios of presolar SiC and corundum grains
M. Lugaro, R. Gallino, S. Amari, E. Zinner and L.R. Nittler 419c

On search and identification of short-lived super heavy cosmic-ray nuclei ($Z \geqslant 110$) by fossil track study of the extraterrestrial crystals: results and perspectives [II]
V.P. Perelygin, I.G. Abdullaev, Yu.V. Bondar, R. Brandt, Yu.T. Chuburkov, L.L. Kashkarov, G.P. Knyazeva, L.I. Kravets, R. Spohr, S.G. Stetsenko and P. Vater 422c

Constraining the cosmic star formation rate with the MeV background
K. Watanabe, D.H. Hartmann, M.D. Leising and L.-S. The 425c

2.3. Weak interaction and neutrinos

High-energy breakup of ^{8}B
M. Meister, D. Cortina-Gil, J. Fernandez-Vazquez, K. Markenroth, F. Attallah, T. Baumann, J. Benlliure, M.J.G. Borge, L.V. Chulkov, U. Datta Pramanik, C. Forssén, L.M. Fraile, H. Geissel, J. Gerl, F. Hammache, K. Itahashi, R. Janik, B. Jonson, S. Karlsson, H. Lenske, S. Mandal, M. Mocko, G. Münzenberg, T. Ohtsubo, A. Ozawa, Y. Parfenova, V. Pribora, K. Riisager, H. Scheit, R. Schneider, K. Schmidt, G. Schrieder, H. Simon, B. Sitar, A. Stolz, P. Strmen, K. Sümmerer, I. Szarka, S. Wan, H. Weick and M. Zhukov 431c

Analytical studies of ^{8}B electromagnetic dissociation
C. Forssén, V.D. Efros, N.B. Shul'gina and M.V. Zhukov 434c

Gamma-ray burst neutrino background and star formation history in the universe
S. Nagataki, K. Kohri, S. Ando and K. Sato 437c

Electron capture rates for core collapse-supernovae
J.M. Sampaio, K. Langanke, G. Martínez-Pinedo, E. Kolbe and D.J. Dean 440c

Study of the ^{8}B neutrino spectrum with a new technique
K.E. Rehm, W. Winter, C.L. Jiang, I. Ahmad, S.J. Freedman, J. Greene, A. Heinz, D. Henderson, R.V.F. Janssens, E.F. Moore, G. Mukherjee, R.C. Pardo, M. Paul, T. Pennington, G. Savard, J.P. Schiffer, D. Seweryniak and G. Zinkann 443c

Gamow–Teller and spin–dipole strength in ^{208}Bi and neutrino-induced reactions
T. Suzuki and H. Sagawa 446c

Electron capture and shock formation in core-collapse supernovae
O.E.B. Messer, W.R. Hix, M. Liebendörfer and A. Mezzacappa 449c

Neutrino–nucleus interactions in core-collapse supernova
G. Martínez-Pinedo, D.J. Dean, K. Langanke and J. Sampaio 452c

Effects of neutrino oscillation on supernova neutrino: inverted mass hierarchy
K. Takahashi and K. Sato 455c

Effects of anisotropy in neutrino radiation on the supernova explosion: more complicated patterns of anisotropy
H. Madokoro, T. Shimizu and Y. Mochizuki 458c

2.4. Nucleosynthesis in stars and nuclear cross sections

Hydrostatic and explosive nucleosynthesis in massive stars using improved nuclear and stellar physics
T. Rauscher, A. Heger, R.D. Hoffman and S.E. Woosley 463c

Cross section of $^{3}He(^{3}He, 2p)^{4}He$ measured near the Gamow energy
T. Itahashi, M. Komori, N. Kudomi, K. Kume, Y. Nagai, M. Ohsumi, K. Takahisa, H. Toki, H. Ejiri, H. Ueda and S. Yoshida 466c

Carbon and nitrogen isotopic ratios in supernova models of low metallicity stars and presolar grains from supernovae
T. Yoshida and M. Hashimoto 469c

An alternative parameterization of R-matrix theory
C.R. Brune 472c

Preparation for the $^{12}C(\alpha, \gamma)^{16}O$ experiment using pulsed α beam
H. Makii, E. Sano, K. Mishima, Y. Nagai, T. Shima, M. Segawa, N. Maehara, A. Tomyo and M. Igashira 475c

Neutron capture measurements on ^{171}Tm
R. Reifarth, R. Haight, M. Heil, M.M. Fowler, F. Käppeler, G.G. Miller, R.S. Rundberg, J.L. Ullmann and J.B. Wilhelmy 478c

Direct measurements of (α, n) and (p, n) reaction cross sections using light neutron-rich radioactive nuclear beams
H. Ishiyama, T. Hashimoto, T. Kawamura, T. Ishikawa, H. Miyatake, M.H. Tanaka, Y. Fuchi, N. Yoshikawa, S.C. Jeong, Y. Watanabe, H. Kawakami, I. Katayama, T. Nomura, S. Mitsuoka, K. Nishio, M. Matsuda, S. Ichikawa, H. Ikezoe, T. Furukawa, H. Yano, H. Izumi, Y. Mizoi, M. Terasawa, T. Fukuda, K. Nakai and T. Shimoda 481c

Measurement of the $^{16}N(\alpha, n)$ reaction cross section
T. Ishikawa, H. Ishiyama, T. Hashimoto, T. Kawamura, H. Miyatake, M.H. Tanaka, Y. Fuchi, N. Yoshikawa, S.C. Jeong, Y. Watanabe, H. Kawakami, I. Katayama, T. Nomura, S. Mitsuoka, K. Nishio, M. Matsuda, S. Ichikawa, H. Ikezoe, T. Furukawa, H. Yano, H. Izumi, Y. Mizoi, M. Terasawa, T. Fukuda, K. Nakai and T. Shimoda 484c

A new measurement of the proton capture rate on ^{7}Be
L.T. Baby, C. Bordeanu, G. Goldring, M. Hass, L. Weissman, V.N. Fedoseyev, U. Köster, Y. Nir-El, G. Haquin, H.W. Gäggeler, R. Weinreich and the ISOLDE Collaboration 487c

Nuclear astrophysics researches in ion trap apparatus
T. Itahashi, N. Kudomi, E.D. Donets and E.E. Donets 490c

Determination of the S_{17} and S_{18} astrophysical factors from the breakup of ^{8}B and ^{9}C at intermediate energies
L. Trache, F. Cârstoiu, C.A. Gagliardi, A.M. Mukhamedzhanov and R.E. Tribble 493c

Bare astrophysical S(E)-factor for the $^{6}Li(d,\alpha)^{4}He$ and $^{7}Li(p,\alpha)^{4}He$ reactions at astrophysical energies
R.G. Pizzone, C. Spitaleri, M. Lattuada, A. Musumarra, M.G. Pellegriti, S. Romano, A. Tumino, S. Cherubini, P. Figuera, D. Miljanić, C. Rolf, S. Typel, H.H. Wolter, V. Castellani, S. Degl'Innocenti and A. Imperio 496c

Indirect study of the $^{6}Li(p,\alpha)^{3}He$ reaction at astrophysical energies
A. Tumino, C. Spitaleri, S. Cherubini, A. Di Pietro, M. Gulino, M. Lattuada, A. Musumarra, M.G. Pellegriti, R.G. Pizzone, S. Romano, C. Rolfs, S. Tudisco and S. Typel 499c

The $^{45}V(p,\gamma)$ thermonuclear reaction rate relevant to ^{44}Ti production rate in core-collapsed supernovae: a shell model analysis
M. Horoi, R. Jora, V. Zelevinsky, A.St.J. Murphy, R.N. Boyd and T. Rauscher 502c

Study of ^{26}Si states important for ^{26}Al nucleosynthesis in novae
D.W. Bardayan, J.C. Blackmon, A.E. Champagne, A.K. Dummer, T. Davinson, U. Greife, H. Hill, C. Iliadis, B.A. Jonson, R.L. Kozub, C.S. Lee, M.S. Smith and P.J. Woods 505c

Study of the $^{22}Mg(p,\gamma)^{23}Al$ reaction with the Coulomb-dissociation method
T. Gomi, T. Motobayashi, K. Yoneda, S. Konno, N. Aoi, Y. Ando, H. Baba, K. Demichi, Zs. Fülöp, U. Futakami, H. Hasegawa, Y. Higurashi, K. Ieki, N. Imai, N. Iwasa, H. Iwasaki, T. Kubo, S. Kubono, M. Kunibu, Y.U. Matsuyama, S. Michimasa, T. Minemura, H. Murakami, T. Nakamura, A. Saito, H. Sakurai, M. Serata, S. Shimoura, T. Sugimoto, E. Takeshita, K. Ue, K. Yamada, Y. Yanagisawa, A. Yoshida and M. Ishihara 508c

Improved global α-optical model potential at low energies
P. Demetriou, C. Grama and S. Goriely 510c

2.5. AGB stars, s-process and n-capture reactions

The DRAGON facility for nuclear astrophysics at TRIUMF-ISAC
D.A. Hutcheon, S. Bishop, L. Buchmann, M.L. Chatterjee, A.A. Chen, J.M. D'Auria, S. Engel, D. Gigliotti, U. Greifef, D. Hunter, A. Hussein, C. Jewett, N. Khan, A. Lamey, W. Liu, A. Olin, D. Ottewell, J.G. Rogers, G. Roy, H. Sprenger and C. Wrede 515c

The $^{208}Pb(n,\gamma)$ cross section
H. Beer, W. Rochow, F. Käppeler and T. Rauscher 518c

Discovery of additional lead-rich stars
S. Van Eck, S. Goriely, A. Jorissen and B. Plez 521c

s-process nucleosynthesis in primodial AGB stars
L. Siess and S. Goriely 524c

Neutron capture cross section measurement of $^{20,22}Ne$ for stellar nucleosynthesis
A. Tomyo, Y. Nagai, Y. Nobuhara, T. Shima, H. Makii, K. Mishima and M. Igashira 527c

$^{84}Kr(n,\gamma)^{85}Kr$ reaction cross section measured by an NaI(Tl) spectrometer between 10 and 80 keV
A. Tomyo, Y. Nagai, T. Shima, H. Makii, K. Mishima, M. Segawa and M. Igashira 530c

Determination of the (n,γ) reaction rate of unstable ^{185}W in the astrophysical s-process via its inverse reaction
K. Sonnabend, A. Mengoni, P. Mohr, T. Rauscher, K. Vogt and A. Zilges 533c

Nucleosynthesis in FG Sge
E. Arnone, R. Gallino, D.L. Lambert and O. Straniero 536c

2.6. New scope in observations and experiments

New information on ^{12}C states from the decay of ^{12}N and ^{12}B
H.O.U. Fynbo, U.C. Bergmann, M.J.G. Borge, P. Dendooven, C.Aa. Diget, W. Huang, J. Huikari, H. Jeppesen, B. Jonson, P. Jones, M. Meister, G. Nyman, Y. Prezado, K. Riisager, I. Storgaad Vogelius, O. Tengblad, Y. Wang, L. Weissman, K. Wilhelmsen Rolander and J. Äystö 541c

Fusion of weakly bound light nuclei
F.A. Souza, A. Szanto de Toledo, N. Carlin, R. Liguori Neto, A.A. Suaide, M.M. Moura, E.M. Szanto, M.G. Munhoz, J. Takahashi, C. Beck and S.J. Sanders 544c

The Observatory for Multiflavor Neutrinos from Supernovae
A.St.J. Murphy 547c

Characteristics of a planar-type segmented germanium detector on gamma-ray detection, linear polarization and position information
C.S. Lee, J.H. Lee, J.Y. Moon, Y.K. Kwon and Y. Gono 550c

Study on polarization sensitivity of a planar-type segmented germanium detector for linearly polarized gamma rays
J.H. Lee, C.S. Lee and Y. Gono 553c

($^{3}He, p$) as an alternative to resonant elastic scattering
F. Sarazin, L. Buchmann and the TUDA Collaboration 556c

Facilities for direct measurement of $^{4}He(^{12}C, ^{16}O)\gamma$ reaction cross section at KUTL
N. Ikeda, K. Sagara, K. Tsuruta, H. Oba, T. Ohta, Y. Noguchi, K. Ichikawa, Y. Miwa and S. Morinobu 558c

2.7. Explosive nucleosynthesis and neutron-deficient nuclei

Nucleosynthesis as a result of multiple delayed detonations in type Ia supernovae
D. García-Senz and E. Bravo 563c

Coupling nuclear reaction rates with temperature in explosive conditions
D. García-Senz and R.M. Cabezón Gómez 566c

The type Ic hypernova SN 2002ap
J. Deng, P.A. Mazzali, K. Maeda and K. Nomoto 569c

Nucleosynthesis inside accretion disks around intermediate-mass black holes
K. Arai, R. Matsuba, S. Fujimoto, O. Koike and M. Hashimoto 572c

Determination of (γ, n) reaction rates for the astrophysical γ-process
K. Vogt, P. Mohr, T. Rauscher, K. Sonnabend and A. Zilges 575c

α-nucleus potentials and photon-induced nucleosynthesis
D. Galaviz, M. Babilon, Zs. Fülöp, Gy. Gyürky, R. Hillier, Z. Máté, P. Mohr, T. Rauscher, E. Somorjai, A. Zilges and L. Zolnai 578c

Study on the $^{21}Na(p, \gamma)^{22}Mg$ stellar reaction by the (p, t) reaction
S. Michimasa, S. Kubono, S.H. Park, T. Teranishi, Y. Yanagisawa, N. Imai, Zs. Fülöp, X. Liu, T. Minemurar, C.C. Yun, J.M. D'Auria and K.P. Jackson 581c

Nucleosynthesis of proton rich nuclei on accreting neutron stars related to type I X-ray burst
O. Koike, R. Kuromizu, M. Hashimoto and S. Fujimoto 584c

The $^{17}F(p, \gamma)^{18}Ne$ direct capture cross section
J.C. Blackmon, D.W. Bardayan, C.R. Brune, A.E. Champagne, R. Crespo, T. Davinson, J.C. Fernandes, C.A. Gagliardi, U. Greife, C.J. Gross, P.A. Hausladen, C. Iliadis, C.C. Jewett, R.L. Kozub, T.A. Lewis, F. Liang, B.H. Moazen, A.M. Mukhamedzhanov, C.D. Nesaraja, F.M. Nunes, P.D. Parker, D.C. Radford, L. Sahin, J.P. Scott, D. Shapira, M.S. Smith, J.S. Thomas, L. Trache, R.E. Tribble, P.J. Woods and C.-H. Yu 587c

Measurement of the $^{18}F(p, \alpha)^{15}O$ cross section at nova energies
D.W. Bardayan, J.C. Batchelder, J.C. Blackmon, A.E. Champagne, T. Davinson, R. Fitzgerald, W.R. Hix, C. Iliadis, R.L. Kozub, Z. Ma, S. Parete-Koon, R.D. Parker, N. Shu, M.S. Smith and P.J. Woods 590c

Helium flash on accreting neutron stars
R. Kuromizu, O. Koike, M. Hashimoto and M. Fujimoto 593c

p-process nucleosynthesis during He-detonation in sub-Chandrasekhar CO white dwarfs
S. Goriely, J. José, M. Hernanz, M. Rayet and M. Arnould 596c

Se(p, γ) cross section measurements for p-process studies
Gy. Gyürky, Zs. Fülöp, E. Somorjai, Z. Elekes, M. Kokkoris, S. Galanopulos, P. Demetriou, S. Harissopulos, S. Goriely and T. Rauscher 599c

Thermonuclear runaways on neutron stars: nucleosynthesis and hydrodynamics
J. José and F. Moreno 602c

Alpha-decay of branching ratio of near-threshold states in ^{19}Ne and the astrophysical rate of $^{15}O(\alpha, \gamma)^{19}$Ne
B. Davids, A.M. Van den Berg, P. Dendooven, F. Fleurot, M. Hunyadi, M.A. de Huu, K.F. Rehm, R.E. Segel, R.H. Siemssen, H.W. Wilschut, H.J. Wörtche and A.H. Wuosmaa 605c

Resonance states in ^{22}Mg for reaction rates in the rp-process
G.P.A. Berg, K. Hatanaka, M. Wiescher, H. Schatz, T. Adachi, A.D. Bacher, C.C. Foster, Y. Fujita, H. Fujita, K. Fujita, J. Görres, Ch. Herman, J. Kamiya, N. Sakamoto, Y. Sakemi, Y. Shimbara, Y. Shimizu, E.J. Stephenson, T. Wakasa and M. Yosoi 608c

p-process nucleosynthesis inside supernova-driven supercritical accretion disks
S. Fujimoto, M. Hashimoto, O. Koike, K. Arai and R. Matsuba 611c

The transition to stable burning on an accreting neutron star
J.L. Fisker, W. Raphael Hix, M. Liebendörfer and F.-K. Thielemann 614c

Sensitivities of rp-process calculations to nuclear mass uncertainties
R.R.C. Clement, W. Benenson, B.A. Brown, W.A. Richter, H. Schatz, B.M. Sherrill and A. Volya 617c

Impact of nuclear reaction rate uncertainties on nova models
W.R. Hix, M.S. Smith, S. Starrfield, A. Mezzacappa and D.L. Smith 620c

Rotation of accreting white dwarfs and diversity of type Ia supernovae
T. Uenishi, K. Nomoto and I. Hachisu 623c

2.8. Explosive nucleosynthesis and neutron-rich nuclei

Gravitational collapse of rotating massive stars
K. Kotake, S. Yamada, K. Sato and T.M. Shimizu 629c

Pop III hypernova nucleosynthesis and abundance trends in extremely metal-poor halo stars
T. Ohkubo, H. Umeda and K. Nomoto 632c

The first-forbidden decays near the r-process paths at $N = 50, 82, 126$
I.N. Borzov 635c

The possibility of r-process in the core-collapse surpernova of an ONeMg core
M. Tamamura, S. Wanajo, N. Itoh, K. Nomoto and S. Nozawa 638c

The r-process in neutrino-driven winds from a typical neutron star with $M = 1.4M_{\odot}$
M. Terasawa, K. Sumiyoshi and T. Kajino 641c

The observed universality of r-process abundance pattern and its implication for nuclear mass models
M. Terasawa 644c

Final r-process yields and the influence of fission: the competition between neutron-induced and β-delayed fission
I.V. Panov and F.-K. Thielemann 647c

Influence of parity-dependence in the nuclear level density on the prediction of astrophysical reaction rates
D. Mocelj, T. Rauscher, G. Martínez-Pinedo and Y. Alhassid 650c

Nuclear mass predictions within the Skyrme HFB theory
M. Samyn, S. Goriely and J.M. Pearson 653c

2.9. Galactic chemical evolution and cosmo-chronology

First detection of $^{7}Li/^{6}Li$*-ratio in the interstellar medium beyond the solar-system, and its impact on primordial* ^{7}Li
S. Kawanomoto, K.T. Suzuki, H. Ando and T. Kajino 659c

Clues to the nucleosynthetic pattern and dust depletion in damped Lyman α systems
J.L. Hou and N. Prantzos 662c

Neutron capture cross section to ^{186}Re *isomeric state*
T. Hayakawa, T. Shizuma, T. Yamauchi, E. Minehara and T. Arisawa 665c

Formation of atoms, molecules and the first objects in the universe with a variable cosmological term
T. Kamikawa, M. Hashimoto and K. Arai 668c

Implications from inhomogeneous chemical evolution: yields of O–Zn
Y. Ishimaru, N. Prantzos and S. Wanajo 671c

New detections of r-process elements in extremely metal-poor stars with Subaru/HDS
S. Honda, W. Aoki, H. Ando and T. Kajino 674c

Nuclear cosmochronometer and universality in the r-process abundance distribution
K. Otsuki, G.J. Mathews and T. Kajino 677c

Lifetime of type Ia supernovae and chemical evolution of galaxies
C. Kobayashi and K. Nomoto 680c

2.10. High-density matter, nuclear equation of state and nuclear data for nuclear astrophysics

The width of the α decaying states of ^{12}C within the three-cluster model
D.V. Fedorov, A.S. Jensen and H.O.U. Fynbo 685c

The half-life of ^{148}Gd
Zs. Fülöp, L. Bartha, Gy. Gyürky, E. Somorjai, S. Kubono, H. Kudo and D. Kaji 688c

Microscopic nuclear level densities by the shell model Monte Carlo method
H. Nakada and Y. Alhassid 691c

A new signature for nuclear shell closures
J. Escher and B. Jennings 694c

Magnetic and rotational vortices in superfluid quark matter
K. Iida and G. Baym 697c

Microscopic study of nuclear "pasta": quantum molecular dynamics approach
G. Watanabe, K. Sato, K. Yasuoka and T. Ebisuzaki 700c

Protoneutron star cooling with a new equation of state
H. Suzuki, H. Kogure, F. Tomioka, K. Sumiyoshi, S. Yamada and H. Shen 703c

Quark matter in neutron star mergers
R. Oechslin, G. Poghosyan and K. Uryū 706c

Effects of meson mass reduction on the properties of neutron star matter
C.H. Hyun, M.H. Kim and S.W. Hong 709c

List of participants 713c

Scientific program 731c

Author index 735c